








Duesygdomme - på engelsk

	<p><b>1. PARATYPHOID (Salmonella)</b> Paratyphoid can be caused by un-sanitary conditions and the contamination of feed by rodents. It also can occur when introducing new <a href="#">pigeons</a> into the <a href="#">loft</a>, without checking first if they are healthy. Before putting new <a href="#">pigeons</a> into the <a href="#">loft</a>, isolate and observe them for 5 days and put them on a preventive medication.</p>	<p><b>Symptoms of Paratyphoid:</b> Loss of condition and weight. Green slimy droppings. Swelling of the leg and wing joints. Limping. Infertile Eggs. Twisted neck (seldom) One eye blindness (seldom)</p>	<p><b>Products for Prevention and Cure:</b> Parastop (Belgica-DeWeerd)</p>
	<p><b>2. PARAMYXOVIRUS (PMV)</b> Pigeon Disease - PMV Pigeon Paramyxovirus" To prevent Paramyxovirus all birds are vaccinated at least once a year. Once a <a href="#">pigeon</a> has Paramyxovirus, there is very little you can do, vaccinating at this point will not do any good.</p>	<p><b>Symptoms of Paramyxovirus:</b> Loss of weight Watery green slimy droppings. Twisting of neck and head</p>	<p><b>Products for prevention or cure:</b>  <b>Call the vet</b></p>
	<p><b>3. CANKER (Trichomoniasis)</b> A yellow cheesy substance, generally seen in the mouth, however 10% of Canker is external, while 90% is internal. Breaks out at any age, also in youngsters still in the nest. It is caused by a flagellate, living on the mucous membranes of the throat and the crop.</p>	<p><b>Symptoms of Canker:</b> Loss of appetite Problem digesting</p>	<p><b>Products for Cure:</b> Ronidazole (Ridzol)(DAC)</p>
	<p><b>4. COCCI (Coccidiosis)</b> This problem can be caused by unsanitary conditions in the <a href="#">loft</a> and letting your <a href="#">pigeons</a> go picking around on the ground.</p>	<p><b>Symptoms of Cocci:</b> Loss of weight. Slimy dark green droppings Lethargic Poor flying Thirsty</p>	<p><b>Products for Cure:</b> Multi-Mix (Global) Coccimix (Pantex) Cocci-Geel (Pantex) Cocci-Mix 1 (Travipharma)</p>
	<p><b>5. WORMS (Hair, Round &amp; Tape Worms)</b> Cause generally are un-sanitary <a href="#">loft</a> conditions or letting the <a href="#">pigeons</a>, pick around on the ground. They will maintain appetite, as the worms consume most nutrition in the <a href="#">pigeons</a> system.</p>	<p><b>Symptoms of Worms</b> Loss of Condition Loss of Weight Bad dropping</p>	<p><b>Products for Cure:</b> Combi-Worm (All worms) (Global) Wormmix (Hair &amp; Roundworms) (DAC) Worm-Ex (Hair &amp; Roundworms) (Pantex)</p>
	<p><b>7. ADENO-COLI SYNDROM</b> In the last 10 years, this has been the biggest problem in young birds from 6-9 months in age. Up to 70% can be infected and show the symptoms. The disease is a combination of an Adeno-Virus, which opens the way for the suddenly aggressive E-Coli bacteria, often a Circo Virus is also involved.</p>	<p><b>Symptoms of Adeno-Coli Syndrom:</b> Decreased appetite Clear watery droppings Vomiting Rapid loss of weight. Dying in matter of days.</p>	<p><b>Products for Cure:</b> Belg-Amco (Belgica-DeWeerd) Dacoxine 4 in 1 (DAC)</p>
	<p><b>8. CANDIDA</b> When problems occur in the <a href="#">loft</a>, the first thing a fancier looks for is signs of the more common problems like Canker, Cocci, Worms, Paratyphoid, Respiratory, Ornithosis Complex, Adeno Virus or E-Coli. This can cause a condition named Candida, which is a mould and yeast infection of the crop and the intestines.</p>	<p><b>Symptoms of Candida:</b> No desire to fly Poor performance in the races. Losses in Training and Races.</p>	<p><b>Products for Cure:</b> Glostatin (Global)</p>